a checklist:

BIRDS

of the

LAKE McCONAUGHY AREA



The

CENTRAL

Nebraska Public Power and Irrigation

DISTRICT

Lake McConaughy

Lake McConaughy, Nebraska's largest lake, is 22 miles long, three miles wide near the dam and covers almost 35,000 surface acres.

Located on the North Platte River along the south edge of the Nebraska Sandhills, the reservoir provides such a variety of habitat types that it is home to one of the largest and most diverse bird populations documented in the state.

This folder lists 313 species that have been identified on or near the shores of Lake McConaughy and/ or Lake Ogallala. The species list is in accordance with the Sixth American Ornithologists' Union Checklist and was reproduced from Richard Rosche's Birds of the Lake McConaughy Area and the North Platte River Valley (1994). The list was updated in 1998 with the assistance of Stephen J. Dinsmore of the Nebraska Ornithologists' Union.

Months of occurrence are in parentheses, "all" indicates the species has occurred in every month. * - Species has bred in area.

LOON - GREBES

- Red-throated Loon (5) Common Loon (1,3-12)
- Pacific Loon (1,5-8,11,12)
- Yellow-billed Loon (8-10)
- Pied-billed Grebe (all)*
- Horned Grebe (1-5,10-12)
- Red-necked Grebe (1,11,12) Eared Grebe (1.3-12)
- Western Grebe (all)*
- Clark's Grebe (1,3-12)*

PELICAN - CORMORANT

American White Pelican (1,3-12) Double-crested Cormorant (1,3-12)*

BITTERNS - HERONS - IBIS - VULTURE

- American Bittern (4,5,7,9,10)
- Least Bittern (5,8)
- Great Blue Heron (all)*
- Great Egret (4,5,7-10)
- Snowy Egret (4,5,7-9)
- Little Blue Heron (5,8,9)
- Cattle Egret (4-11)*
- Green Heron (5-9)
- Black-crowned Night Heron (1,4,5,7-10)
- White-faced Ibis (4-6,8,9)
- Turkey Vulture (3-10)*

GEESE - SWANS - DUCKS

- Greater White-fronted Goose (1-3,7,8,10-12)
- Snow Goose (1-5,10-12)

- Ross's Goose (1-5,11,12)
- Brant (11,12)
- Canada Goose (all)*
- Trumpeter Swan (1-4,11,12)
- Tundra Swan (11,12)
- Wood Duck (all)*
- Gadwall (all)
- Eurasian Wigeon (5)
- American Wigeon (all) Mallard (all)3
- Blue-winged Teal (3-11)*
- Cinnamon Teal (3-6)
- Northern Shoveler (all)
- Northern Pintail (all)
- Green-winged Teal (all)
- Canvasback (1-6,8-12) Redhead (all)
- Ring-necked Duck (1-5,10-12)
- Greater Scaup (1-4,11,12)
- Lesser Scaup (all)
 - Surf Scoter (4,5,10-12) White-winged Scoter (1-5,11,12)
- Black Scoter (1,10-12)
- Oldsquaw (1-4,11,12) Bufflehead (1-5,7,10-12)
- Common Goldeneye (1-6,8-12)
- Barrow's Goldeneye (1-4,11,12)
- Hooded Merganser (1-6,10-12)
- Common Merganser (all)
- Red-breasted Merganser (1-5,11,12)
- Ruddy Duck (all)*

HAWKS - FALCONS

- Osprey (4-6,8-10)
- Bald Eagle (1-5.8-12) Northern Harrier (all)*
- Sharp-shinned Hawk (1-5,9-12)
- Cooper's Hawk (1-5,9-12) Northern Goshawk (1-4,12)
- Broad-winged Hawk (4,5,9)
- Swainson's Hawk (4-10)*
- Red-tailed Hawk (all)*
- Ferruginous Hawk (1-5,7,10-12)
- Rough-legged Hawk (1-4,10-12)
- Golden Eagle (1-6.9-12)*
- American Kestrel (all)*
- Merlin (1-4,8-12) Prairie Falcon (all)
- Peregrine Falcon (4,5,8-10)
- Gyrfalcon (1)

PHEASANT - QUAIL - TURKEY

- Ring-necked Pheasant (all)*
- Sharp-tailed Grouse (all)* Greater Prairie-Chicken (all)*
- Wild Turkey (all)* Northern Bobwhite (all)'



Sharp-shinned Hawk

Ruddy Duck

Northern Bobwhite

RAILS - COOT - CRANES

- King Rail (4-6,9,12)
- Virginia Rail (all)* Sora (4-11)*
- American Coot (all)*
- Sandhill Crane (2-6.10-12)
- Whooping Crane (4,5,10,11)



- Black-bellied Plover (5-11) American Golden Ployer (4.9.10)
- Snowy Plover (6-8)
- Semipalmated Plover (4,5,7-10)
- Piping Plover (4-8)*
- Killdeer (all)*
- Black-necked Stilt (5) American Avocet (4-12)
- Greater Yellowlegs (3-5,7-12) Lesser Yellowlegs (3-11)
- Solitary Sandpiper (4,5,7-9)
- Willet (4-8)
- Spotted Sandpiper (4-10)*
- Upland Sandpiper (4-8)*
- Whimbrel (5)
- Long-billed Curlew (3-9)* Hudsonian Godwit (4.5)
- Marbled Godwit (4-10)
- Ruddy Turnstone (5) Red Knot (5,8)
- Sanderling (4-11)
- Semipalmated Sandpiper (4,5,7-11)
- Western Sandpiper (4,5,7-10)
- Least Sandpiper (4,5,7-12) White-rumped Sandpiper (5,6)
- Baird's Sandpiper (3-5,7-12)
- Pectoral Sandpiper (4,5,7-10)
- Dunlin (4,5)
- Stilt Sandpiper (4,5,7-10)
- Buff-breasted Sandpiper (5,8,9)
- Short-billed Dowitcher (7-9) Long-billed Dowitcher (3-5,7-11)
- Common Snipe (all) Wilson's Phalarope (4-9)
- Red-necked Phalarope (5.8.9)

GULLS - TERNS

- Parasitic Jaeger (10)
- Franklin's Gull (1.3-12)
- Bonaparte's Gull (1,3-5,9-12)
- Ring-billed Gull (all)
- California Gull (all)
- Thayer's Gull (1-4,11,12)
 - Lesser Black-backed Gull (1-4,8)




Marbled Godwit

Piping Plover

- Long-tailed Jaeger (10)
- Laughing Gull (6)
- Little Gull (4,9)
- Mew Gull (2-5)
- Herring Gull (all)
- Iceland Gull (1-4)







DOVES - CUCKOOS - OWLS - SWIFTS -KINGFISHER

- Rock Dove (all)*
- Mourning Dove (all)'
- Black-billed Cuckoo (6-8)* Yellow-billed Cuckoo (5-9)*
- Barn Owl (3-10)* Eastern Screech-Owl (all)*
- Great Horned Owl (all)* Burrowing Owl (4-10)*
- Long-eared Owl (2.5) Short-eared Owl (1,2,12)
- Northern Saw-whet Owl (5)
- Common Nighthawk (5-9)* Common Poorwill (4-10)*
- Chimney Swift (4-9)* Ruby-throated Hummingbird (5)
- Belted Kingfisher (all)*

WOODPECKERS - FLYCATCHERS

- Red-headed Woodpecker (4-10)*
- Red-bellied Woodpecker (1-4,6,9-12)
- Downy Woodpecker (all)* Hairy Woodpecker (all)*
- Northern Flicker (all)*
- Olive-sided Flycatcher (5,8,9)
- Western Wood-Pewee (5-8)3
- Eastern Wood-Pewee (5-8) Yellow-bellied Flycatcher (5,6)
- Willow Flycatcher (5-7)*
- Least Flycatcher (5-8) Eastern Phoebe (3-8)*
- Say's Phoebe (3-9)*
- Great Crested Flycatcher (5-9)* Cassin's Kingbird (5,7)
- Western Kingbird (4-9)* Eastern Kingbird (4-9)*

Scissor-tailed Flycatcher (5,6,8-10)

SHRIKES - VIREOS

- Loggerhead Shrike (3-9)*
- Northern Shrike (1-4,9-12) White-eyed Vireo (5)
- Bell's Vireo (5-9)* Yellow-throated Vireo (5)

Red-eyed Vireo (5,7-9)

Blue-headed Vireo (5,10) Warbling Vireo (5-9)*



Hairy

Woodpecker

Northern

Saw-whet Owl

Red-eyed Vireo

Chestnut-sided Warbler (5.6.8) JAYS - CROW - LARK - SWALLOWS Black-throated Blue Warbler (5) Blue Jay (all)* Yellow-rumped Warbler (1,2,4,5,9-12) Pinyon Jay (11) Townsend's Warbler (5) Clark's Nutcracker (11) Blackburnian Warbler (5,10) Black-billed Magpie (all)* Pine Warbler (5) American Crow (all)* Prairie Warbler (5) Horned Lark (all)* Bay-breasted Warbler (5) Purple Martin (4-8)* Blackpoll Warbler (5,6) Tree Swallow (3-10)* Black-and-white Warbler (5.6) Violet-green Swallow (4,5,7,8) American Redstart (5-9) Northern Rough-winged Swallow (4-9)* Prothontary Warbler (5) Bank Swallow (4-9)* Worm-eating Warbler (7) Cliff Swallow (4-9)* Ovenbird (5-9) Cave Swallow (5.6) Northern Waterthrush (5,8) Northern Waterthrush Barn Swallow (4-10)* Connecticut Warbler (6) Mourning Warbler (5) **CHICKADEE - NUTHATCHES - WRENS** MacGillivray's Warbler (5,6,9) Black-capped Chickadee (all)* Common Yellowthroat (4-10)* Hooded Warbler (5) Red-breasted Nuthatch (1-5,9-12) White-breasted Nuthatch (1-3,6-8,10-12) Wilson's Warbler (5.8.9) Canada Warbler (5) Brown Creeper (1-4,10-12) Yellow-breasted Chat (5-9)* Rock Wren (4-9)* House Wren (4-10)* Winter Wren (2,11,12) TANAGERS - SPARROWS - GROSBEAKS Marsh Wren (all)* Scarlet Tanager (5,7) Black-capped Chickadee Western Tanager (5.9) **KINGLETS - THRUSHES - THRASHERS** Spotted Towhee (4-11)* Cassin's Sparrow (5-7)* Golden-crowned Kinglet (1-4,10-12) American Tree Sparrow (1-4,10-12) Ruby-crowned Kinglet (3-5,9-12) Chipping Sparrow (4-10) Blue-gray Gnatcatcher (5,6) Clay-colored Sparrow (4,5,7-10) Eastern Bluebird (all)* Brewer's Sparrow (4) Mountain Bluebird (1-3,10-12) Field Sparrow (4-10)* Townsend's Solitaire (1-5,9-12) Vesper Sparrow (3-5,8-10) Veery (5.6) Lark Sparrow (4-9)* Gray-cheeked Thrush (5) Black-throated Sparrow (5) Swainson's Thrush (5,6,9) Lark Bunting (5-9) Wood Thrush (5,6) Savannah Sparrow (1,4,5,8-10) American Robin (all)* Grasshopper Sparrow (4-9)* Gray Catbird (5-11)* Baird's Sparrow (5) Northern Mockingbird (4-7,12)* Fox Sparrow (10) Brown Thrasher (4-11)* Song Sparrow (1-5,8-12) Lincoln's Sparrow (4,5,9,10) STARLINGS - PIPITS - WAXWINGS Western Tanager Swamp Sparrow (5-10,12)* European Starling (all)* White-throated Sparrow (5,10,11) American Pipit (3-5,8-12) Harris' Sparrow (1-5,10-12) Sprague's Pipit (4) White-crowned Sparrow (1-5,9-12) Bohemian Waxwing (1-3,11,12) Dark-eyed Junco (1-5,9-12) Cedar Waxwing (all)* McCown's Longspur (10) Cedar Waxwing Lapland Longspur (1-3,10-12) WOOD WARBLERS Chestnut-collared Longspur (3-5,9) Snow Bunting (2,12) Blue-winged Warbler (5) Northern Cardinal (all)* Golden-winged Warbler (5,6) Rose-breasted Grosbeak (5,8,9) Tennessee Warbler (5) Black-headed Grosbeak (5-9)* Orange-crowned Warbler (4,5,9,10) Blue Grosbeak (5-9)* Nashville Warbler (5.10) Northern Parula (5) Lazuli Bunting (5,7,9,10) Indigo Bunting (5-9)* Yellow Warbler (5-9)* Magnolia Warbler Dickcissel (5-7)* Magnolia Warbler (5) Indigo Bunting

BLACKBIRDS - FINCHES

____ Bobolink (5-8)*
___ Red-winged Blackbird (all)*

___ Eastern Meadowlark (3-9)*
Western Meadowlark (all)*

Yellow-headed Blackbird (3-11)*

Rusty Blackbird (4,10-12)
Brewer's Blackbird (3-5,7,9-11)

Common Grackle (all)*
Great-tailed Grackle (4,5)

Brown-headed Cowbird (3-10)*

Orchard Oriole (5-8)*

Baltimore Oriole (5-9)*
Bullock's Oriole (5-9)

Gray-crowned Rosy Finch (2)

Purple Finch (1-4,11,12)
House Finch (all)*

____ Red Crossbill (1,3-5,10-12)

Common Redpoll (1,2,12)
Pine Siskin (all)

American Goldfinch (all)*
Evening Grosbeak (1-5,11,12)

House Sparrow (all)*



Orchard Oriole



Evening Grosbeak

The Central Nebraska Public Power and Irrigation District, owner and operator of Lake McConaughy, Kingsley Dam and Kingsley Hydro, provides direct surface water irrigation to more than 112,000 acres in south-central Nebraska, supplemental irrigation water to another 110,000 acres, and groundwater recharge benefits to more than 310,000 acres irrigated from wells.

Central's four hydroelectric plants can produce more than 104,000 kilowatts of clean, efficient hydroelectric power. At the same time, the hydro-irrigation project's lakes and canals provide opportunity for a wide variety of water-based recreation, as well as habitat for numerous and diverse

Illustrations reproduced from *Birds of North America* by permission of Usborne Publishing, Ltd.

species of wildlife.

Pamphlet funded in part by the Keith County Visitors Committee, Ogallala/Keith County Chamber of Commerce, 1-800-658-4390.